

**CIM-TEK**<sup>®</sup>  
FILTRATION

**ETHANOL**

70120 | 400MB-10  
10 MICRON PARTICULATE REMOVAL FILTER FOR DIESEL, ULSD,  
GASOLINE, ETHANOL OR METHANOL BLENDS UP TO 15%

**CIM-TEK**<sup>®</sup>  
FILTRATION

**HYD**

70060 | 400HS-10  
10 MICRON PARTICULATE & WATER REMOVAL FILTER FOR  
& ETHANOL BLENDS UP TO 15%. DOES NOT DETECT PH

**CIM-TEK**<sup>®</sup>  
FILTRATION

**PARTICULATE**

70015 | 400-10  
10 MICRON PARTICULATE REMOVAL FILTER FOR DIESEL, ULSD,  
GASOLINE, ETHANOL OR METHANOL BLENDS UP TO 15%

**CIM-TEK**<sup>®</sup>  
FILTRATION

**GET MORE OUT OF YOUR FUEL**<sup>®</sup>

**PEI**<sup>™</sup>  
MEMBER

A Registered ISO 9001:2008 Company

A Registered ISO 9001:2008 Company

Central Illinois Manufacturing Company  
201 N. Champaign St., Bement, IL 61813  
888-898-7187 • 217-678-2511 | Fax: 888-515-2611 • 217-678-2611  
info@cim-tek.com | www.cim-tek.com



Printed in the U.S.A.

Copyright ©2013 Central Illinois Manufacturing Company  
Specifications and data herein are subject to change without notice and/or obligation.  
Hydrosorb, CIM-TEK, BIO-TEK, GET MORE OUT OF YOUR FUEL and Hydroburn PSR  
are registered trademarks of Central Illinois Manufacturing Company |  
Viton is a registered trademark of DuPont Performance Elastomers L.L.C. |  
PEI and Priority Club are registered trademarks of Petroleum Equipment Institute |  
UL is a registered trademark of Underwriters Laboratories, LLC

## MEDIA DEFINITIONS

### CELLULOSE

Cellulose is a plant-based fiber. It is a natural material and its fiber can vary in size and shape. Cellulose is a low-void filter media that is not suitable for fine filtration.

### HYDROSORB®

Hydrosorb® is our original, patented technology for water and particulate removal. Hydrosorb® is a microglass and cellulose laminated media impregnated with a super-absorbent. Water is absorbed as the fuel passes through the filter, causing flow restriction.

### ALCOHOL MONITOR

Utilizing state-of-the-art microglass media the Alcohol Monitor is designed to detect phase separation and remove particulates in ethanol blended fuels up to E15.

### MICROGLASS

Microglass is a high-performance filter media with a high void area. It is used for finer filtration and has 2-3 times the dirt-holding capacity over cellulose media.

### HYDROGLASS

Hydroglass is a combination of Microglass media and a super-absorbent polymer that provides water and particulate removal in one filter.

### WIRE MESH

Wire Mesh media is designed to remove larger contaminants that can quickly reduce performance and cause downtime.

# 200 & 250 Series

CELLULOSE FILTERS WITH AND WITHOUT DRAIN

## Applications

- For use with gasoline, diesel, biodiesel blends up to B20, or ultra-low sulfur diesel (ULSD)
- For use on:
  - Aboveground storage tanks
  - Transfer tanks
  - Day-use tanks
- Gravity flow applications, transfer pumps & fuel dispensers

## Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Pre-Lubed gaskets
- Removes common contaminants such as dirt, dust, and rust
- Drain for easy water removal

200E Series

3<sup>3</sup>/<sub>4</sub>" x 8" x 1"-12 Thread

200AE Series

3<sup>3</sup>/<sub>4</sub>" x 8" x 1<sup>3</sup>/<sub>8</sub>"-12 Thread

250E Series

3<sup>3</sup>/<sub>4</sub>" x 7<sup>1</sup>/<sub>4</sub>" x 1"-12 Thread

250AE Series

3<sup>3</sup>/<sub>4</sub>" x 7<sup>1</sup>/<sub>4</sub>" x 1<sup>3</sup>/<sub>8</sub>"-12 Thread



2

NOT FOR AVIATION USE

**Cellulose with Drain**

Part #	Model #	Micron	Function	Fuel
70002	200E-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70046	200E-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70004	200AE-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70045	200AE-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

**Cellulose without Drain**

Part #	Model #	Micron	Function	Fuel
70819	250E-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70003	250E-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70821	250AE-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70005	250AE-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

# 200 & 250 Series

CELLULOSE FILTERS WITH AND WITHOUT DRAIN

**Mounting Adaptors**

Part #	Material	Fuel Ports	Thread	Use With
50003	Cast Iron	¾" NPT	1"-12	200E & 250E
50002	Cast Iron	1" NPT	1"-12	200E & 250E
50004	Cast Iron	1" NPT	1⅜"-12	200AE & 250AE
50181	Aluminum	¾" NPT	1"-12	200E & 250E

**Replacement Gaskets**

Part #	Description
90025	Buna-N Pre-Lubed Gasket

# 260 Series

EXTENDED LIFE-FILTERS

## Applications

- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel blends up to B20, or ultra-low sulfur diesel (ULSD)
- Microglass and Hydroglass filters are for use with biodiesel blends up to B100 (BMG & BHG)
- For use on:
  - Aboveground storage tanks
  - Transfer tanks
  - Day-use tanks
- Gravity flow applications, transfer pumps & fuel dispensers

## Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets
- Microglass filters have a higher dirt-holding capacity for longer life
- Hydroglass filters have the same dirt-holding capabilities as Microglass filters plus the water absorbing properties of our Hydrosorb® filters



260, 260HS, 260BHG & 260BMG Series  
3¾" x 8⅝" x 1"-12 Thread

260AHS & 260ABMG Series  
3¾" x 8⅝" x 1⅜"-12 Thread

# 260 Series

EXTENDED-LIFE FILTERS

## Cellulose

Part #	Model #	Micron	Function	Fuel
70094	260-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70095	260-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

## Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70062	260HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70067	260HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70061	260AHS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70066	260AHS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

## Microglass & Hydroglass

Part #	Model #	Micron	Function	Fuel
70230	260BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70234	260BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70221	260ABMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70225	260ABMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70232	260BHG-02	2	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70236	260BHG-10	10	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100

## Mounting Adaptors

Part #	Material	Fuel Ports	Thread	Use With
50002	Cast Iron	1" NPT	1"-12	260, 260HS, 260BHG & 260BMG
50003	Cast Iron	¾" NPT	1"-12	260, 260HS, 260BHG & 260BMG
50004	Cast Iron	1" NPT	1⅜"-12	260AHS & 260ABMG
50181	Aluminum	¾" NPT	1"-12	260, 260HS, 260BHG & 260BMG

## Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket

# 300 Series DISPENSER FILTERS

## Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)
- High-Alcohol Content filters are for E85 (BHA)

## Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets on all 300 series filters *EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets





# 300 Series

DISPENSER FILTERS

## Cellulose

Part #	Model #	Micron	Function	Fuel
70806	300-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70010	300-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70012	300-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

## Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70059	300HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70064	300HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

## Microglass

Part #	Model #	Micron	Function	Fuel
70057	300BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70058	300BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70025	300BHA-01	1	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70122	300MB-10	10	Detects Phase Separation <sup>o</sup>	Ethanol Blends Up to E15
70018	300MB-30	30	Detects Phase Separation <sup>o</sup>	Ethanol Blends Up to E15

◊ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

## Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50003	Cast Iron	¾" NPT	1"-12
50002	Cast Iron	1" NPT	1"-12
50181	Aluminum	¾" NPT	1"-12
50017N	Nickel Plated	¾" NPT	1"-12

## Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket
90037	Viton® Gasket used on 300BHA

# 400 Series

## DISPENSER FILTERS

### Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)
- High-Alcohol Content filters are for E85 (BHA)

### Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets on all 400 series filters *EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets



8

NOT FOR AVIATION USE

# 400 Series

DISPENSER FILTERS

## Cellulose

Part #	Model #	Micron	Function	Fuel
70808	400-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70015	400-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70016	400-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

## Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70060	400HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70065	400HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

## Microglass

Part #	Model #	Micron	Function	Fuel
70105	400BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70104	400BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70039	400BHA-01	1	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70991	400BHA-05	5	Microglass; Particulate Removal High-Alcohol Content	E85 & B100
70120	400MB-10	10	Detects Phase Separation <sup>◊</sup>	Ethanol Blends Up to E15
70106	400MB-30	30	Detects Phase Separation <sup>◊</sup>	Ethanol Blends Up to E15

◊ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

## Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50032	Aluminum	1" NPT	1½"-16
50032N	Nickel-Plated Aluminum	1" NPT	1½"-16

## Replacement Gaskets

Part #	Description
90036	Buna-N Pre-Lubed Gasket

# 450 & 475 Series

8" & 10½" EXTENDED-LENGTH FILTERS

## Applications

- Designed for fuel dispensers & commercial fueling pumps
- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Alcohol Monitors for ethanol blends up to E15 (MB)
- Microglass filters for biodiesel blends up to B100 (BMG)

## Benefits & Design Features

- Up to 25 gpm (94.6 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Microglass filters have a higher dirt-holding capacity for longer life
- Filters are UL® recognized for use in fuel dispensers
- Pre-Lubed gaskets



450 Series  
3¾" x 8" x 1½"-16 Thread

475 Series  
3¾" x 10½" x 1½"-16 Thread

10

NOT FOR AVIATION USE

# 450 & 475 Series

8" & 10½" EXTENDED-LENGTH FILTERS

## Cellulose

Part #	Model #	Micron	Function	Fuel
70034	450-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70027	450-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70097	475XL-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70092	475XL-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

## Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70075	450HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70076	450HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70098	475XLHS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70043	475XLHS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

## Microglass

Part #	Model #	Micron	Function	Fuel
70032	450MG-10	10	Microglass; Particulate Removal	Same as above plus B100
70111	475XLMB-10	10	Detects Phase Separation <sup>9</sup>	Ethanol Blends Up to E15

◇ ONLY MB STYLE FILTERS DETECT PHASE SEPARATION

## Mounting Adaptors

Part #	Material	Fuel Ports	Thread
50032	Aluminum	1" NPT	1½"-16
50343	Cast Iron	1" NPT	1½"-16

## Replacement Gasket

Part #	Description
90036	Buna-N Pre-Lubed Gasket

# 800 Series

## HIGH FLOW FILTERS

### Applications

- Cellulose and Hydrosorb® filters are for use with gasoline, diesel, biodiesel, or ultra-low sulfur diesel (ULSD)
- Microglass and Hydroglass filters for biodiesel blends up to B100 (BMG & BHG)
- Designed for fuel dispensers & commercial fueling pumps
- Commercial, high flow, and fuel polishing applications
- High-Alcohol Content filters are for E85 (BHA)

### Benefits & Design Features

- Up to 40 gpm (151 lpm) maximum flow
- 50 psi (3.4 bar) maximum working pressure
- Various micron media(s) available
- Pre-Lubed gaskets on all 800 series filters  
*EXCEPT* High Alcohol Content (BHA) filters, which use Viton® gaskets



# 800 Series

HIGH FLOW FILTERS

## Cellulose

Part #	Model #	Micron	Function	Fuel
70814	800-02	2	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70019	800-10	10	Particulate Removal	Gasoline, diesel, biodiesel, ULSD
70020	800-30	30	Particulate Removal	Gasoline, diesel, biodiesel, ULSD

## Hydrosorb®

Part #	Model #	Micron	Function	Fuel
70063	800HS-10	10	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD
70068	800HS-30	30	Particulate Removal and Water Absorption	Gasoline, diesel, biodiesel, ULSD

## Microglass and Hydroglass

Part #	Model #	Micron	Function	Fuel
70036	800BMG-02	2	Microglass; Particulate Removal	Same as above plus B100
70028	800BMG-10	10	Microglass; Particulate Removal	Same as above plus B100
70037	800BHG-02	2	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70024	800BHG-10	10	Hydroglass; Particulate Removal and Water Absorption	Same as above plus B100
70041	800BHA-01	1	Microglass; Particulate Removal High Alcohol Content	E85

## Mounting Adaptors

Part #	Material	Description	Fuel Ports	Thread
50026	Aluminum	Single Adaptor w/ gauge ports	1" NPT	1½"-16
50109	Aluminum	Single Adaptor	1" NPT	1½"-16
50027	Aluminum	Single Adaptor w/ gauge ports	1½" NPT	1½"-16
50163	Aluminum	Single Adaptor	1½" NPT	1½"-16
50163N	Nickel-Plated Aluminum	Single Adaptor	1½" NPT	1½"-16
50011	Aluminum	Dual Adaptor	2" NPT	1½"-16
50028	Aluminum	Dual Adaptor w/gauge ports	2" NPT	1½"-16

## Replacement Gaskets

Part #	Description
90041	Buna-N Pre-Lubed Gasket
90039	Viton® Gasket used on 800BHA

# Mounting Adaptors



**50003**

**Material:** Cast Iron  
**For Use with:** 200E, 250E,  
260, & 300 Series

**Inlet/Outlet:** ¾" NPT  
**Thread:** 1"-12



**50181**

**Material:** Aluminum  
**For Use with:** 200E, 250E,  
260, & 300 Series

**Inlet/Outlet:** ¾" NPT  
**Thread:** 1"-12



**50002**

**Material:** Cast Iron  
**For Use with:** 200E, 250E,  
260, & 300 Series

**Inlet/Outlet:** 1" NPT  
**Thread:** 1"-12



**50017N**

**Material:** Nickel-plated  
Cast Iron  
**For Use with:** 300 BHA-01

**Inlet/Outlet:** ¾" NPT  
**Thread:** 1"-12



**50016N**

**Material:** Nickel-plated  
Cast Iron  
**For Use with:** 300 BHA-01

**Inlet/Outlet:** 1" NPT  
**Thread:** 1"-12



**50004**

**Material:** Cast Iron  
**For Use with:** 200AE,  
250AE, & 260A Series

**Inlet/Outlet:** 1" NPT  
**Thread:** 1½"-12



**50343**

**Material:** Cast Iron  
**For Use with:** 400, 450, &  
475 Series

**Inlet/Outlet:** 1" NPT  
**Thread:** 1½"-16



**50032**

**Material:** Aluminum  
**For Use with:** 400, 450, &  
475 Series

**Inlet/Outlet:** 1" NPT  
**Thread:** 1½"-16  
UL® recognized



# Mounting Adaptors



**50032N**

Material: Nickel-plated  
Aluminum  
For Use with: 400BHA

Inlet/Outlet: 1" NPT  
Thread: 1½"-16  
UL® recognized



**50026**  
w/ gauge  
ports

Material: Aluminum  
For Use with: 800 Series

Inlet/Outlet: 1" NPT  
Thread: 1½"-16  
UL® recognized



**50109**

Material: Aluminum  
For Use with: 800 Series

Inlet/Outlet: 1" NPT  
Thread: 1½"-16  
UL® recognized



**50027**  
w/ gauge  
ports

Material: Aluminum  
For Use with: 800 Series

Inlet/Outlet: 1½" NPT  
Thread: 1½"-16  
UL® recognized



**50163**

Material: Aluminum  
For Use with: 800 Series

Inlet/Outlet: 1½" NPT  
Thread: 1½"-16  
UL® recognized



**50163N**

Material: Nickel plated  
Aluminum  
For Use with: 800BHA-01

Inlet/Outlet: 1½" NPT  
Thread: 1½"-16



**50011**  
Dual  
Adaptor

Material: Aluminium  
For Use with: 800 Series

Inlet/Outlet: 2" NPT  
Thread: 1½"-16  
UL® recognized



**50028**  
Dual Adaptor  
w/ gauge  
ports

Material: Aluminum  
For Use with: 800 Series

Inlet/Outlet: 2" NPT  
Thread: 1½"-16  
UL® recognized

NOT FOR AVIATION USE

15

# Centurions

COMMERCIAL FILTERING



NOT FOR AVIATION USE

16

Part #	Model	In/Out	GPM	# of Elements
40001	Centurion Single	1" NPT	30	1
40013	Centurion Double	1½" NPT	60	2
40020	Centurion Triple	2" NPT	90	3

#### Applications:

- Designed for high-volume applications
- Housings and replacement elements are compatible with gasoline, diesel, ethanol blends up to 15%, biodiesel up to B20, and ultra-low sulfur diesel (ULSD)

#### Features:

- Up to 90 gpm / 340 lpm maximum flow
- Elements available in 2, 10 and 30 micron cellulose for particulate removal
- Elements available in 10 and 30 micron Hydrosorb® for water detection and particulate removal
- Drain for easy water removal
- Parallel flow

#### Benefits:

- Extended equipment life
- Assures delivery of quality fuel
- Cleaner change-out with drain design
- Eco-friendly reusable housing

#### Centurion Elements

30065   E02	Cellulose Element	2 Micron
30002   E10	Cellulose Element	10 Micron
30004   E30	Cellulose Element	30 Micron
30195   E-10M	Microglass Element	10 Micron
30033   EHS-10	Hydrosorb® Element	10 Micron
30036   EHS-30	Hydrosorb® Element	30 Micron

# Vikings

BULK FILTERING

Part #	Model	In/Out	Diameter	Length	GPM	# of Elements
40186	Viking 1	2" NPT	12"	32½"	120	1
40187	Viking 1F	Flanged	12"	32½"	120	1
40188	Viking 2	2" NPT	12"	50½"	150	2
40189	Viking 2F	Flanged	12"	50½"	150	2
40190	Viking 3F	Flanged	24"	59¼"	300	4
40191	Viking 4F	Flanged	28"	78½"	500	8



#### Applications:

- Designed for bulk fluid transfer and fueling rack filtration
- Housings and replacement elements are compatible with gasoline, ethanol blends up to E15, biodiesel blends up to B100, diesel fuel, ultra-low sulfur diesel (ULSD), and fuel oils
- Able to filter industrial fluids such as lubrication, hydraulic, synthetic oils, many solvents and thinners

#### Features:

- Up to 500 gpm / 1892.7 lpm maximum flow
- 150 psi rating
- Epoxy coating inside and out
- Carbon steel housing
- Gauge ports standard

#### 6" x 18" Elements

30066   E-1300-02	Cellulose Element	2 Micron
30008   E-1300-10	Cellulose Element	10 Micron
30009   E-1300-30	Cellulose Element	30 Micron
30204   E-1300MG-03	Microglass Element	3 Micron
30203   E-1300MG-05	Microglass Element	5 Micron
30202   E-1300MG-10	Microglass Element	10 Micron
30034   E-1300HS-10	Hydrosorb® Element	10 Micron
30037   E-1300HS-30	Hydrosorb® Element	30 Micron
30210   E-1300WM-144	Wire Mesh Element	144 Micron

#### Benefits:

- Removes common contaminants such as dirt, dust, and rust
- Increased filtering capacity
- Easy opening and access with swing lid

NOT FOR AVIATION USE

## Filter Cups

Part #	Description
60070	For Changing 4" Diameter Filters
60072	For Changing 5" Diameter Filters



## Pre-Vent

Part #	Description
60001	Cast-Iron Base with a Plated Cap
60002	Cast-Iron Base, Plated Cap, with Anti-Theft Security Arm
60003	Replacement Plated Cap



## Replacement Gaskets

Part #	Description
90025	Buna-N Pre-Lubed Gasket used on 200, 250, 260, & 300 Series
90036	Buna-N Pre-Lubed Gasket used on 400 & 450 Series
90041	Buna-N Pre-Lubed Gasket used on 800 Series
90037	Viton® Gasket used on 300BHA Series
90115	Viton® Gasket used on 400BHA Series
90039	Viton® Gasket used on 800BHA Series

Part #	Description
90560	Viking 1 & 2 Buna-N Main Seal, Standard
90561	Viking 3 & 4 Buna-N Main Seal, Standard, Prior to June 2013
90599	Viking 1 & 2 Viton® Main Seal, Optional
90600	Viking 3 & 4 Viton® Main Seal, Optional, Prior to June 2013
90703	Viking 3 & 4 Buna-N Main Seal, Standard, After June 2013
90704	Viking 3 & 4 Viton® Main Seal, Optional, After June 2013



# Accessories

Part No	Model	Page
30001	500B-30	CALL
30002	E10	16
30004	E30	16
30008	E-1300-10	17
30009	E-1300-30	17
30033	EHS-10	16
30034	E-1300HS-10	17
30036	EHS-30	16
30037	E-1300HS-30	17
30055	Facet Repl	CALL
30065	E02	16
30066	E-1300-02	17
30195	E10M	16
30202	E-1300MG-10	17
30203	E-1300MG-07	17
30204	E-1300MG-03	17
30210	E1300WM-144	17
31011	1um DEF	CALL
31015	5um DEF	CALL
40001	Centurion Sgl	16
40013	Centurion Dbl	16
40020	Centurion Tpl	16
40186	Viking 1	17
40187	Viking 1F	17
40188	Viking 2	17
40189	Viking 2F	17
40190	Viking 3F	17
40191	Viking 4F	17
41060	Def-Tek Hsg	CALL
50001	200C	CALL
50002	200H-1	14
50003	200H-¾	14
50004	200AH	14
50011	820	15
50016N	200H-1 Nickel	14
50017N	200H-¾ Nickel	14
50032N	400 Nickel	15
50163N	810N	15
50026	805 w/ports	15
50027	810 w/ports	15
50028	820 w/ports	15
50032	400 Series	14
50109	805 (5" Diam)	15
50136	40-B	CALL

Part No	Model	Page
50163	810	15
50181		14
50343	400 series	14
60001	Prevent/base	19
60002	Prevent/lock	19
60003	Prevent cap	19
60035	Tank Sampler	18
60038	Tank Dryer	18
60061	Hydroburn G	CALL
60062	Hydroburn G	CALL
60063	Hydroburn G	CALL
60065	Hydroburn D	CALL
60066	Hydroburn D	CALL
60067	Hydroburn D	CALL
60069	Hydroburn PSR	18
60070	Filter Cup	19
60072	Filter Cup, Lg	19
70002	200E-10	3
70003	250E-10	3
70004	200AE-10	3
70005	250AE-10	3
70010	300-10	7
70012	300-30	7
70015	400-10	9
70016	400-30	9
70018	300MB-30	7
70019	800-10	13
70020	800-30	13
70024	800BHG-10	13
70025	300BHA-01	7
70027	450-30	11
70028	800BMG-10	13
70032	450MG-10	11
70034	450-10	11
70036	800BMG-02	13
70037	800BHG-02	13
70039	400BHA-01	9
70041	800BHA-01	13
70043	475XLHS-30	11
70045	200AE-30	3
70046	200E-30	3
70057	300BMG-02	7
70058	300BMG-10	7
70059	300HS-10	7

Part No	Model	Page
70060	400HS-10	9
70061	260AHS-10	5
70062	260HS-10	5
70063	800HS-10	13
70064	300HS-30	7
70065	400HS-30	9
70066	260AHS-30	5
70067	260HS-30	5
70068	800HS-30	13
70075	450HS-10	11
70076	450HS-30	11
70077	300-MESH	CALL
70080	800-MESH	CALL
70082	300-Empty	CALL
70084	800-EMPTY	CALL
70090	400-Empty	CALL
70092	475XL-30	11
70094	260-10	5
70095	260-30	5
70097	475XL-10	11
70098	475XLHS-10	11
70104	400BMG-10	9
70105	400BMG-02	9
70106	400MB-30	9
70111	475XLMB-10	11
70120	400MB-10	9
70122	300MB-10	7
70221	260ABMG-02	5
70225	260ABMG-10	5
70230	260BMG-02	5
70232	260BHG-02	5
70234	260BMG-10	5
70236	260BHG-10	5
70806	300-02	7
70808	400-02	9
70814	800-02	13
70819	250E-02	3
70821	250AE-02	3
70991	400BHA-05	9
90165	Ethanol Tester	CALL
90601	DP-V1	18
90602	DP-V4	18
90603	PG-1234	18



Central Illinois Manufacturing Company  
201 N. Champaign St., Bement, IL 61813